

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/657,356	09/08/2003	Yu-Chin Lai	P03306	9555
23702 Rausch & Lom	7590 06/08/2007		EXAMINER	
Bausch & Lomb Incorporated One Bausch & Lomb Place			MCCLENDON, SANZA L	
Rochester, NY 14604-2701			ART UNIT	PAPER NUMBER
			1711	
•			MAIL DATE	DELIVERY MODE
			06/08/2007	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Supplemental	Application No.	Applicant(s)		
I f	10/657,356	LAI ET AL.		
Notice of Allowability	Examiner	Art Unit		
	Sanza L. McClendon	1711		
The MAILING DATE of this communication apperature All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RI of the Office or upon petition by the applicant. See 37 CFR 1.313	(OR REMAINS) CLOSED in this ap or other appropriate communication GHTS. This application is subject to	plication. If not included n will be mailed in due course. THIS	ive	
<u> </u>				
2. X The allowed claim(s) is/are <u>1-6,8,10-16,19 and 23-26</u> .				
 Acknowledgment is made of a claim for foreign priority una a) All b) Some* c) None of the: Certified copies of the priority documents have Certified copies of the priority documents have Copies of the certified copies of the priority documents have International Bureau (PCT Rule 17.2(a)). 	been received. been received in Application No			
Applicant has THREE MONTHS FROM THE "MAILING DATE" noted below. Failure to timely comply will result in ABANDONM THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.	of this communication to file a reply ENT of this application.	complying with the requirements		
 A SUBSTITUTE OATH OR DECLARATION must be submit INFORMAL PATENT APPLICATION (PTO-152) which give 	itted. Note the attached EXAMINER as reason(s) why the oath or declara	S'S AMENDMENT or NOTICE OF ation is deficient.		
 CORRECTED DRAWINGS (as "replacement sheets") mus (a) including changes required by the Notice of Draftspers 1) hereto or 2) to Paper No./Mail Date (b) including changes required by the attached Examiner's Paper No./Mail Date Identifying indicia such as the application number (see 37 CFR 1. each sheet. Replacement sheet(s) should be labeled as such in the 	on's Patent Drawing Review (PTO s Amendment / Comment or in the (.84(c)) should be written on the drawi	Office action of		
 DEPOSIT OF and/or INFORMATION about the deposit attached Examiner's comment regarding REQUIREMENT I 	sit of BIOLOGICAL MATERIAL (FOR THE DEPOSIT OF BIOLOGIC	must be submitted. Note the AL MATERIAL.		
Attachment(s) 1. ☐ Notice of References Cited (PTO-892)	E 🗆 Notice of Information	Dekomb Annilisation		
 Notice of References Cited (PTO-992) Dotice of Draftperson's Patent Drawing Review (PTO-948) 	 5. ☐ Notice of Informal F 6. ☐ Interview Summary 	, ,		
	Paper No./Mail Da	 Interview Summary (PTO-413), Paper No./Mail Date 		
 Information Disclosure Statements (PTO/SB/08), Paper No./Mail Date 	7. X Examiner's Amend			
 Examiner's Comment Regarding Requirement for Deposit of Biological Material 	8. 🛛 Examiner's Stateme	ent of Reasons for Allowance		
	9.			
		•		
		- % T	•	

Application/Control Number: 10/657,356

Art Unit: 1711

Supplemental DETAILED ACTION

Page 2

Response to Amendment

1. This action is to correct an inadvertent error in the examiners amendment. The cancelled claims should have been 1-22 and not 1-23 as originally written. The reasons for allowance remain the same.
2.

Supplemental Allowable Subject Matter

- 1. Claims 1-6, 8, 10-16, 19 and 23-26 are allowed.
- 2. The following is an examiner's statement of reasons for allowance: the prior art, alone or in combination, fail to teach a method as instantly claimed wherein the polymer composition has one or more photoinitiators that can absorb light above 500 nm in combination with one or more blue light absorption compounds and one or more ultraviolet light absorption compounds.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Supplemental examiner's AMENDMENT

3. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

The application has been amended as follows:

Please cancel claims 20-22.

Conclusion

4. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Sanza L. McClendon whose telephone number is (571) 272-1074. The examiner can normally be reached on Monday through Friday 7:30-4:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, James Seidleck can be reached on (571) 272-1078. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 10/657,356

Art Unit: 1711

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Evamenan

Page 3

Art Unit 1711

SMC